----- POPULATION ESTIMATES ------ CANCER INCIDENCE ------ LOCAL PUBLIC HEALTH ------Per (Cancer incidence is for 1998) Total 1999 Population Est 18,500 Activities Reported Number 10,000 Percent Female 48.9 Primary Site Number Public Health Nursing Population per square mile 19
Rank in state 61 Total clients 330 177 Total visits 1,021 549 Breast 13 (1=highest population density, Cervical 5 Visits: Reason for Colorectal Gen hlth promotion 10 5 Infant/child hlth 2 1 72=lowest population density.) 10 Trachea, Bronchus, Lung 12 Infectious & parasitic 260 140 Age Female Male Total Prostate 16 1,890 3,650 0-14 1,770 Circulatory 5 3 Other sites 690 780 15-19 1,470 Total Prenatal
 15-19
 690
 780

 20-24
 560
 610

 25-29
 460
 530

 30-34
 500
 520

 35-39
 660
 720

 40-44
 670
 820

 45-54
 1,170
 1,320

 55-64
 890
 920

 65-74
 790
 740

 75-84
 610
 500

 851
 370
 130
 1,160 Postpartum 28 15 990 ----- LONG-TERM CARE -----1,020 WIC Participants 928 502 1,380 Community Options and MA Waiver 1,480 Clinic Visits Programs 2,403 1,291 Immunization 1,850 Blood pressure 45 2,500 # Clients Costs 994 COP \$111,840 1,820 112 2.4 1,100 CIP1A 9 \$526,856 390 CIP1B 74 \$1,713,093 18,500 CIP2 29 \$444,743 COP-W 68 \$427,712 Total CSLA . 1,100 Environmental Contacts Env hazards 85+ 270 120 390 26 14 Total 9,040 9,460 Public health nuisance 77 41 Age Female Male Total 4,510 Brain Inj . 0-17 2,170 2,350 \$3,224,244 18-44 3,140 3,520 6,640 Total COP/Wvrs 185 45-64 2,060 2,240 4,320 65+ 1,670 1,360 3,020 \$518,570 of the above Waiver costs | Health Education 18,500 Community sessions 36
Community attendance 1,614 9,040 9,460 were paid as local match/overmatch 19 using COP funds. This amount is 867 School sessions 13 7 602 323 not included in above COP costs. (Poverty estimates for 1995 are School attendance included in the 1997 profiles. Poverty statistics will be updated * Waiver costs reported here after the 2000 Census.) include federal funding. Staffing - FTEs Total staff Administrators 5 2.8 Administrators 1 0.5
Public health nurses 3 1.3
Public health aides 1 0.4 ----- EMPLOYMENT -----Average wage for jobs covered Home Health Agencies 1 by Unemployment Compensation \$23,445 Public health aides 237 Patients Note: Average wage is based on place Patients per 10,000 pop. 128 Environmental specialists . . of work, not place of residence. Nursing Homes Licensed beds 287
Occupancy rate 64.5%
Residents on 12/31/98 185 Labor Force Estimates Annual Average LOCAL PUBLIC HEALTH FUNDING Civilian labor force 12,625 Occupancy rate 64.5%

Number employed 12,229 Residents on 12/31/98 185

Number unemployed 396 Residents aged 65 or older

Unemployment rate 3.1% per 1,000 population 60 (funding data not available)

1999 TROTTED TOR BICKBON COUNT

TOTAL LIVE BIRTHS		198	Birth Order	Births	Percent	Marital Status		
			First	79	40	of Mother	Births	
Crude Live Birth Rate General Fertility Rat		10.7	Second	61		Married	128	65
General Fertility Rat	e	56.0	Third	22		Not married	70	35
			Fourth or higher Unknown	36	18	Unknown	0	0
ive births with repo	rted		Unknown	0	0			
live births with repo congenital anomalies		2 . %				Education		
			First Prenatal			of Mother	Births	Percent
elivery Type	Births	Percent	Visit	Births	Percent	of Mother Elementary or less Some high school High school Some college College graduate Unknown	3 7	4
Taginal after			1st trimester	145	73	Some high school	31	16
previous cesarean Torceps	7	4	2nd trimester 3rd trimester No visits Unknown	43	22	High school	83	42
orceps	1	1	3rd trimester	6	3	Some college	46	23
orceps ther vaginal rimary cesarean	144	73	No visits	2	1	College graduate	31	16
rimary gogaroan	20	1.4	Inknown	2	1	Unknown	0	10
opent degrees	Δ0 1 Q	74	Olikilowii	2	1	Olikilowii	U	U
rimary cesarean epeat cesarean ther or unknown	10	0	Number of Prenatal	1		Smoking Status		
cher of unknown	U	U	Care visits		Domaont	of Mother	Dimbha	Dongont
isth Waight	Dirtha	Dorgont	No visits	2	1	Smoker	55	
Sirth Weight	DII UIS	1 F	NO VISIUS	1.0				
1,500 gm 1,500-2,499 gm 2,500+ gm Jnknown	3	1.5	1-4 visits 5-9 visits 10-12 visits	10	5	Nonsmoker	142	/
1,500-2,499 gm	107	4.0	5-9 VISITS	44	22	Unknown	1	1
2,500+ gm	18/	94.4	10-12 Visits	6 /	34			
Inknown	0	0.0	13+ visits	./2	36			
			unknown	3				
	Total B		Low Birth Weight (under 2,500 gm)	1st Tri	Trimest imester		Other/	'Unknown
		sirths Percent	Low Birth Weight (under 2,500 gm) Births Percent	1st Tri Births	Trimest imester Percent	2nd Trimester Births Percent	Other/	
Race of Mother White	Total B	sirths Percent	Low Birth Weight (under 2,500 gm) Births Percent 10 5.9	1st Tri Births	Trimest imester Percent	2nd Trimester Births Percent	Other/ Births	
Race of Mother White	Total B Births P 170 2	sirths Percent 86 1	Low Birth Weight (under 2,500 gm) Births Percent 10 5.9	1st Tri Births 126	Trimest imester <u>Percent</u> 74	2nd Trimester Births Percent 36 21 *	Other/ Births	Percent
ace of Mother hite lack	Total B Births P 170 2	sirths Percent 86 1	Low Birth Weight (under 2,500 gm) Births Percent 10 5.9	1st Tri Births	Trimest imester <u>Percent</u> 74	2nd Trimester Births Percent 36 21	Other/ Births	Percent 5
ace of Mother hite lack ther	Total B Births P	sirths Percent 86 1	Low Birth Weight (under 2,500 gm) Births Percent 10 5.9	1st Tri Births 126	Trimest imester <u>Percent</u> 74	2nd Trimester Births Percent 36 21 * .	Other/ Births 8	Percent 5
ace of Mother Thite Black Other	Total B Births P 170 2 26	Sirths Percent 86 1 13	Low Birth Weight (under 2,500 gm) Births Percent 10 5.9 * 1 3.8 .	1st Tri Births 126	Trimest imester Percent 74 69	2nd Trimester Births Percent 36 21 * . 7 27	Other/Births 8 * 1	Percent 5
ace of Mother hite lack ther	Total B Births P 170 2 26 0	ercent 86 1 13 0	Low Birth Weight (under 2,500 gm) Births Percent 10 5.9 * 1 3.8	1st Tri Births 126 * 18	Trimest imester <u>Percent</u> 74 69	2nd Trimester Births Percent 36 21 * . 7 27 . er of First Prenatal	Other/Births 8 * 1 . Visit	Percent 5 . 4
Race of Mother Thite Slack Other Toknown	Total BBirths P 170 2 26 0	ertility	Low Birth Weight (under 2,500 gm) Births Percent 10 5.9 * 1 3.8	1st Tri Births 126 * 18	Trimestimester Percent 74 . 69 . Trimestimester	2nd Trimester Births Percent 36 21	Other/Births 8 * 1 . Visit Other/	Percent 5 . 4 . 'Unknown
lace of Mother Thite Slack Other Thinknown	Total B Births P 170 2 26 0 Fe Births	Sirths Percent 86 1 13 0 ertility Rate	Low Birth Weight (under 2,500 gm) Births Percent 10 5.9 * . 1 3.8 . Low Birth Weight (under 2,500 gm) Births Percent	1st Tri Births 126 * 18 . 1st Tri Births	Trimest imester Percent 74 . 69 . Trimest imester Percent	2nd Trimester Births Percent 36 21 * . 7 27 . er of First Prenatal 2nd Trimester Births Percent	Other/Births 8 * 1 . Visit Other/	Percent 5 . 4 . 'Unknown Percent
Race of Mother Thite Black Other Toknown Mage of Mother <15	Total B Births P 170 2 26 0 Fe Births	Sirths Percent 86 1 13 0 ertility Rate	Low Birth Weight (under 2,500 gm) Births Percent 10 5.9 * 1 3.8 Low Birth Weight (under 2,500 gm) Births Percent * .	1st Tri Births 126 * 18 . 1st Tri Births	Trimest imester Percent 74 . 69 . Trimest imester Percent	2nd Trimester Births Percent 36 21 * . 7 27 . er of First Prenatal 2nd Trimester Births Percent *	Other/Births 8 * 1 . Visit Other/Births	Percent 5 . 4 . 'Unknown Percent
Mace of Mother White What Wither Winknown Mage of Mother <15 15-17	Total B Births P 170 2 26 0 Fe Births 2 10	sirths ercent 86 1 13 0 ertility Rate	Low Birth Weight (under 2,500 gm) Births Percent 10 5.9 * . 1 3.8 Low Birth Weight (under 2,500 gm) Births Percent * . 1 10.0	1st Tri Births 126 * 18 . 1st Tri Births	Trimest imester Percent 74 . 69 . Trimest imester Percent	2nd Trimester Births Percent 36 21 * . 7 27 . er of First Prenatal 2nd Trimester Births Percent *	Other/Births 8 * 1 . Visit Other/Births * 1	Percent 5 4 . Unknown Percent 10
Mace of Mother White Slack Wither Minknown Mage of Mother <15 15-17 18-19	Total B Births P 170 2 26 0 Fe Births 2 10 20	sirths Percent 86 1 13 0 ertility Rate 70	Low Birth Weight (under 2,500 gm) Births Percent 10 5.9 * . 1 3.8 . Low Birth Weight (under 2,500 gm) Births Percent * . 1 10.0 1 5.0	1st Tri Births 126 * 18 . 1st Tri Births * 6 11	Trimest imester Percent 74 . 69 . Trimest imester Percent . 60 55	2nd Trimester Births Percent 36 21	Other/Births 8 * 1 . Visit Other/Births * 1 2	Percent 5 4 4 . Unknown Percent 10 10
tace of Mother Thite Slack Other Thicknown The second of Mother <15 15-17 18-19 20-24	Total B Births P 170 2 26 0 Fe Births 2 10 20 56	sirths Percent 86 1 13 0 ertility Rate 70 101	Low Birth Weight (under 2,500 gm) Births Percent 10 5.9 * . 1 3.8 . Low Birth Weight (under 2,500 gm) Births Percent * . 1 10.0 1 5.0 4 7.1	1st Tri Births 126 * 18 . 1st Tri Births * 6 11	Trimest imester Percent 74 . 69 . Trimest imester Percent . 60 55	2nd Trimester Births Percent 36 21	Other/Births 8 * 1 . Visit Other/Births * 1 2	Percent 5 4 4 . Unknown Percent 10 10
Race of Mother Thite Black Other Jinknown Age of Mother <15 15-17 18-19 20-24 25-29	Total B Births P 170 2 26 0 Fe Births 2 10 20 56 51	ercent 86 1 13 0 ertility Rate 70 101 111	Low Birth Weight (under 2,500 gm) Births Percent 10 5.9 * . 1 3.8 . Low Birth Weight (under 2,500 gm) Births Percent * 1 10.0 1 5.0 4 7.1 2 3.9	1st Tri Births 126 * 18 . 1st Tri Births * 6 11	Trimest imester Percent 74 . 69 . Trimest imester Percent . 60 55	2nd Trimester Births Percent 36 21	Other/Births 8 * 1 . Visit Other/Births * 1 2	Percent 5 4 . Unknown Percent 10 10 7 2
Race of Mother White Black Other Jinknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Total B Births P 170 2 26 0 Fe Births 2 10 20 56 51 41	######################################	Low Birth Weight (under 2,500 gm) Births Percent 10 5.9 * . 1 3.8 . Low Birth Weight (under 2,500 gm) Births Percent * . 1 10.0 1 5.0 4 7.1 2 3.9 2 4.9	1st Tri Births 126 * 18	Trimest imester Percent 74 . 69 . Trimest imester Percent . 60 55 71 76 90	2nd Trimester Births Percent 36 21	Other/Births 8 * 1 . Visit Other/Births * 1 2	7 Percent 5 . 4 . 7 Unknown Percent . 10 . 10 . 7 . 2 .
Race of Mother Thite Black Other Tinknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Total B Births P 170 2 26 0 Fe Births 2 10 20 56 51 41 14	######################################	Low Birth Weight (under 2,500 gm) Births Percent 10 5.9 * . 1 3.8 . Low Birth Weight (under 2,500 gm) Births Percent * . 1 10.0 1 5.0 4 7.1 2 3.9 2 4.9 1 7.1	1st Tri Births 126 * 18 1st Tri Births * 6 11 40 39 37 11	Trimest imester Percent 74 . 69 . Trimest imester Percent . 60 55 71 76 90 79	2nd Trimester Births Percent 36 21	Other/Births 8 * 1 . Visit Other/Births * 1 2 4 1 . 1	Percent 5 4 . Unknown Percent 10 10 7 2
Race of Mother White Black Wher When When When When When When When When	Total B Births P 170 26 0 Fe Births 2 10 20 56 51 41 14 4	######################################	Low Birth Weight (under 2,500 gm) Births Percent 10 5.9 * . 1 3.8 . Low Birth Weight (under 2,500 gm) Births Percent * . 1 10.0 1 5.0 4 7.1 2 3.9 2 4.9	1st Tri Births 126 * 18	Trimest imester Percent 74 . 69 . Trimest imester Percent . 60 55 71 76 90	2nd Trimester Births Percent 36 21	Other/Births 8 * 1 . Visit Other/Births * 1 2	7 Percent 5 . 4 . 7 Unknown Percent . 10 . 10 . 7 . 2 .
Race of Mother Thite Black Other Inknown Rige of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Total B Births P 170 2 26 0 Fe Births 2 10 20 56 51 41 14	######################################	Low Birth Weight (under 2,500 gm) Births Percent 10 5.9 * . 1 3.8 . Low Birth Weight (under 2,500 gm) Births Percent * . 1 10.0 1 5.0 4 7.1 2 3.9 2 4.9 1 7.1	1st Tri Births 126 * 18 1st Tri Births * 6 11 40 39 37 11	Trimest imester Percent 74 . 69 . Trimest imester Percent . 60 55 71 76 90 79	2nd Trimester Births Percent 36 21	Other/Births 8 * 1 . Visit Other/Births * 1 2 4 1 . 1	7 Percent 5 . 4 . 7 Unknown Percent . 10 . 10 . 7 . 2 .

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED* CASES OF SELECTED DISEASES fetal deaths. Rates are not calculated for fewer than 20 deaths. Disease Number TOTAL DEATHS 186 Crude Death Rate 1,006 Campylobacter Enteritis Giardiasis Hepatitis Type A Hepatitis Type B** 0 Age Deaths Rate Hepatitis NANB/C*** 1-4 Legionnaire's 5-14 0 Lyme 15 15-19 1 Measles 0 20-34 20 373 Meningitis, Aseptic <5 35-54 55-64 Meningitis, Bacterial <5 6 . 31 2,025 56 5,078 6 65-74 Mumps 0 Pertussis 0 75-84 68 17,568 Salmonellosis <5 85+ Shiqellosis 0 Tuberculosis Suicide 0 Infant Mortality Deaths Rate 1999 provisional data ** Includes all positive HBsAg Total Infant 1 test results Neonatal 1 *** Unavailable at time of printing Postneonatal Unknown Sexually Transmitted Disease Chlamydia Trachomatis 21 Race of Mother Genital Herpes White 9 Gonorrhea <5 Black Other 0 Nongonococcal Cervicitis Unknown Nongonococcal Urethritis Syphilis Birth Weight ----- IMMUNIZATIONS -----<1,500 gm 1,500-2,499 gm 2,500+ gm Children in Grades K-12 by Compliance Level Unknown Compliant Non-compliant 2,644 17 Percent Compliant 99.4 Perinatal

Mortality

Total Perinatal 6 Neonatal 1

Deaths

Rate

Selected		
Underlying Cause	Deaths	Rate
Heart Disease (total)	64	346
Ischemic heart disease		
Cancer (total)	44	238
Trachea/Bronchus/Lung		
Colorectal	7	
Female Breast	3	• 1
Cerebrovascular Disease	e 19	
Lower Resp. Disease		
Pneumonia & Influenza	1	
Injuries	7	
Motor vehicle	3	
Diabetes	5	
Infectious & Parasitic	4	
	_	

* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	
Other Drugs	2
Both Mentioned	

----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	
Total Crashes	282	10
Alcohol-Related	34	5
With Citation:		
For OWI	25	1
For Speeding	16	0
Motorcyclist	10	0
Bicyclist	5	0
Pedestrian	3	0

Per Average Charge 1,000 Stay Average Per DISEASE / AGE GROUP Number Pop (Days) Charge Capita Injury-Related: All Total 178 9.6 4.2 \$10,242 \$99 22 4.9 3.7 \$7,910 50 7.5 3.7 \$9,673 <18 \$39 18-44 45-64 \$73 33 7.6 5.5 \$12,998 \$99 73 24.2 4.2 \$10,089 65+ \$244 Injury: Hip Fracture Total 26 1.4 5.0 \$12,724 \$18 65+ 25 8.3 5.0 \$12,915 \$107 Injury: Poisonings Total 14 18-44 9 Psychiatric Total 123 6.6 6.0 \$5,136 \$34 24 5.3 8.6 \$5,870 51 7.7 4.1 \$3,654 <18 \$31
 18-44
 51
 7.7
 4.1
 \$3,654

 45-64
 25
 5.8
 7.2
 \$6,186

 65+
 23
 7.6
 5.9
 \$6,515
 \$28 \$36

1996 and 1997.

\$50

COLOMALY HEAD	rc Diseas	=				
Total	183	3 9	.9 3.	.9 \$14,	981	\$148
45-64	6:	9 16	.0 3.	.2 \$17,	425	\$278
65+	10	3 34	.1 4.	.5 \$13,	362	\$456
Malignant Nec	oplasms (Cancer	s): All			
Total	10	5	.7 6.	.1 \$13,	538	\$78
18-44	!	5				
45-64	38	8	.8 5.	.3 \$11,	034	\$97
65+	6	3 20	.9 6.	.4 \$13,	894	\$290
Neoplasms:	Female B	reast	(rates f	for fema	le popu	lation)
Total	:	9				
Neoplasms:	Colo-rec	tal				
Total	1	5				•
65+	1:	1				
Neoplasms:	Lung					
Total	1:	1				•
Dishahar						
Diabetes Total	3:		.7 4.	.1 \$6,	746	\$12

19 . . .

Coronary Heart Disease

65+

DISEASE /		Per 1,000	Average Stay	Average	Charge Per
AGE GROUP	Number	Pop		Charge	Capita
Alcohol-Relate					
Total	101	5.5	5.6	\$3,678	\$20
18-44	70	10.5	5.2	\$3,460	\$36
45-64	23	5.3	4.3	\$2,563	\$14
Pneumonia and	Influenza				
Total	109	5.9	4.5	\$6,415	\$38
<18	17				
45-64	20	4.6	4.4	\$8,098	\$38
65+	59	19.5	5.3	\$5	\$0
Cerebrovascula	r Disease			•	•
Total	71	3.8	4.3	\$6,651	\$26
45-64	11				
65+	59	19.5	4.7	\$7,015	\$137
Chronic Obstru	ctive Pulm	onary I	Disease		
Total	75	4.1	3.9	\$5,535	\$22
<18	6				
18-44	9				
45-64	8				
65+	52	17.2	4.7	\$6,217	\$107
Drug-Related				, . ,	' '
Total	6				
18-44	2	•	•	•	
Total Hospital	izations				
Total	2,592	140.1	3.9	\$7,471	\$1,047
<18	372	82.4	3.3	\$3,508	\$289
18-44	633	95.3		\$5,324	
45-64		120.9		\$9,653	
65+	1,065			\$9,063	\$3,195
D	REVENTABLE	י שרפחדיי		MC*	
Total	425	23.0	3.8	\$5,815	\$134
<18	30	6.6		\$1,869	\$12
18-44	45	6.8		\$5,254	\$36
45-64	66	15.3		\$6,423	\$98
65+	284	94.0	4.3	\$6,179	\$581
Hospitalization					
oulatory care o					
e definition of					
s consistent wi				TOIRS III -	Lシラフ
				thia near	- in +h-
ease refer to t	ne note at	. Lue bo	JULOIII OI	ciiis page	= III CNE

1997 report for an explanation of the change made between